

# LED Monitor with Backlight

22" Full HD LED Monitor



**22" Full HD  
LED Monitor**



**Display Size**  
22"



**Native Resolution**  
1920x1080 (FHD)



**Viewing Angle**  
178°(H)/178°(V)



**Video Interface**  
HDMI/VGA



**Aspect Ratio**  
16:9



**Luminance Ratio**  
200cd/m<sup>2</sup>



**Contrast Ratio**  
2500:1

**6.5<sub>ms</sub>**

**Response Time**  
6.5ms



**Eye Protective**

# Specification - CP-UEM-22AH

Feature	Specifications
Screen Size	21.45" (54.48cm)
Panel Type	VA
Aspect Ratio	0.672916667
Response Time	6.5ms
Viewing Angle	178°(H)/178°(V)
Brightness/Luminance	TYP. 190 cd/□, <b>MAX. 250 cd/□</b>
Contrast Ratio	125.0006944
Resolution	1920×1080 (FHD)
Backlight	LED
Display Color	16.7 Million (8bit)
Refresh Rate	TYP. 60Hz, MAX. 75Hz
Input	VGA x 1, HDMI 1.4 x 1

Feature	Specifications
Power Supply	DC 12V, 2A
Power Consumption (Standard)	≤24W
Consumption (Standby)	≤0.5W
Wall Mount	75×75mm (3.0"×3.0")
Package (W×H×D)	547 x 107 x 358mm (21.5"×4.2"×14.1")
Dimension With Stand (W×H×D)	488 x 366 x 200mm (19.2"×14.4"×7.9")
Working Temperature	5°C ~ 40°C (41°F ~ 104°F)
Humidity	10%~85%
Net Weight	2.3 kg
Gross Weight	2.9 Kg
Accessory Standard	HDMI Cable, Power Cable, Base
Accessory Optional	Gas spring desk bracket

# Applications



Office



Institutes



School



Hospital



Home